

12 Pijn

Literatuur

- Boivie J. Central pain. In: Wall PD, Melzack R, editors. *Textbook of Pain*. 3rd ed. New York: Churchill Livingstone; 1994. 871-902.
- Bortz WM, Angwin P, Mefford IN, Boarder MR, Noyce N, Barchas JD. Catecholamines, dopamine, and endorphin levels during extreme exercise. *N Engl J Med* 1981; 305: 466-7.
- Bowsher D. Central pain of spinal origin. *Spinal Cord* 1996; 34: 707-10.
- Burke DC, Woodward JM. Pain and phantom sensations in spinal paralysis. In: Vinke PJ, Bruyn GW, editors. *Handbook of clinical neurology*. Vol.16. North Holland Publishing Co: 1976; 489-99.
- Chiou-Tan FY, Tuel SM, Johnson JC. Effect of mexiletine on spinal cord injury dysesthetic pain. *Am J Phys Med Rehabil* 1996; 75: 84-7.
- Cioni B, Meglio M, Pentimalli M. Spinal cord stimulation in the treatment of paraplegic pain. *J Neurosurg* 1995; 82: 35-9.
- Cranenburgh, B van. *Pijn vanuit een neurowetenschappelijk perspectief*. 6e druk. Elsevier; 2002.
- Davidoff G, Roth E, Guarracini M. Function-limiting dysesthetic pain syndrome among traumatic spinal cord injury patients. A cross-sectional study. *Pain* 1987; 29: 39-48.
- Dingemans WA, Groenman NH, Kleef M van. *Pijn en pijnbehandeling, een basaal onderwijscurriculum*. 3e druk. Maastricht: Universitaire Pers Maastricht; 1994.
- Dubner R, Basbaum AI. Spinal dorsal horn plasticity following tissue or nerve injury. In: Wall PD, Melzack R, editors. *Textbook of Pain*. 3rd ed. New York: Churchill Livingstone; 1994. 225-41.
- Edgar RE, Best LG, Quail PA. Computer-assisted DREZ microcoagulation: posttraumatic spinal deafferentation pain. *J Spinal Disord* 1993; 6: 48-56.
- Eide PK, Jörum E, Stenehjem AE. Somatosensory findings in patients with spinal cord injury and central dysesthesia pain. *J Neurol Neurosurg Psychiatry* 1996; 60: 411-15.
- Eide PK, Stubhaug A, Stenehjem AE. Central dysesthesia pain after traumatic spinal cord injury is dependent on N-methyl-D-aspartate receptor activation. *Neurosurgery* 1995; 37: 1080-7.
- Ericksen JJ, Braverman DL, Shah RV. Interventions in Chronic Pain Management. 4. Medications in Pain Management. *Arch Phys Med Rehabil* 2003; 84 Suppl 1: S50-6.
- Fenollosa P, Pallares J, Cervera J. Chronic pain in the spinal cord injured. Statistical approach and pharmacological treatment. *Paraplegia* 1993; 31: 722-9.
- Flor H, Turk DC. Chronic back pain and rheumatoid arthritis. Predicting pain and disability from cognitive variables. *J Behav Med* 1988; 11: 251-65.
- Fordyce WE, Fowler R, Delateur B. An application of behavior modification technique to a problem of chronic pain. *Behav Res Ther* 1968; 6: 105-7.

Handboek dwarslaesierevalidatie

- Frisbie JH, Aguilera EJ. Chronic pain after spinal cord injury. An expedient diagnostic approach. *Paraplegia* 1990; 28: 460-5.
- Glynn CJ, Teddy PJ, Jamous MA. Role of spinal noradrenergic system in transmission of pain in patients with spinal cord injury. *Lancet* 1986; ii(8518): 1249-50.
- Jaspers J. Whiplash en posttraumatische stress-stoornis. *T Psychother* 1999; 23: 5-18.
- Jensen MP, Hoffman AJ, Cardenas, DD. Chronic pain in individuals with spinal cord injury. A survey and longitudinal study. *Spinal Cord* 2005; 43: 704-12.
- Keefe FJ, Black AR, Williams RB. Behavior treatment of chronic low back pain. Clinical outcome and individual differences in pain relief. *Pain* 1981; 11: 221-31.
- Levi R, Hultling C, Seiger Å. The Stockholm spinal cord injury study. 2. Associations between clinical patient characteristics and post-acute medical problems. *Paraplegia* 1995; 33: 585-94.
- Levitt M. The deafferentation syndrome in Macaques after bilateral spinal lesions. Evidence for dysesthesias resulting from brain foci and considerations of spinal pain pathways. *Pain* 1983; 16: 167-84.
- Loubser PG, Donovan WH. Diagnostic spinal anaesthesia in chronic spinal cord injury pain. *Paraplegia* 1991; 29: 25-36.
- Lousberg HB, Groenman NH. *Multidimensionele Pijnvragenlijst Dutch Version (MPI DV 2.0)*. 1989. Geautoriseerde Nederlandse vertaling van de Multidimensional Pain Inventory, DC Turk, TE Rudy.
- Melzack R, Loeser JD. Phantom body pain in paraplegics: evidence for a central 'pattern generating mechanism' for pain. *Pain* 1978; 4: 195-210.
- Middleton JW, Siddall PJ, Walker S. Intrathecal clonidine and baclofen in the management of spasticity and neuropathic pain following spinal cord injury. A case study. *Arch Phys Med Rehabil* 1996; 77: 824-6.
- Nepomuceno C, Fine PR, Richards S. Pain in patients with spinal cord injury. *Arch Phys Med Rehabil* 1979; 60: 605-9.
- Sampson JH, Cashman RE, Nashold BS. Dorsal root entry zone lesions for intractable pain after trauma to the conus medullaris and cauda equina. *J Neurosurg* 1995; 82: 28-34.
- Sandford PR, Lindblom LB, Haddox JD. Amitriptyline and cabamazepine in the treatment of dysesthetic pain in spinal cord injury. *Arch Phys Med Rehabil* 1992; 73: 300-1.
- Siddall PJ, Middleton JW. A proposed algorithm for the management of pain following spinal cord injury. *Spinal Cord* 2006; 44: 67-77
- Sie IH, Waters RL, Adkins RH. Upper extremity pain in the postrehabilitation spinal cord injured patiënt. *Arch Phys Med Rehabil* 1992; 73: 44-8.
- Spinhoven Ph, Linsen ACG. Education and selfhypnosis in the management of low back pain. A component analysis. *British J of Cl Psychology* 1989; 28: 145-53.

Handboek dwarslaesierevalidatie

Tasker R. Pain resulting from nervous system pathology. In: Bonica JJ, editor. *The management of pain*. Philadelphia: Lea & Febinger; 1990. 264.

Vlaeyen JWS, Pernot HFM, Kole-Snijders AMJ, Schuerman JA, Eek H van, Groenman NH. *Pijn-cognitieflijst experimentele versie PCL-E*. 1990

Wagner AAG, Stenehjem AE, Stanghelle JK. Pain and life quality within 2 years of spinal cord injury. *Paraplegia* 1995; 33: 555-9.

Winter FAM. *De pijn de baas*. 2e druk. Soest: Ruitenbergboek; 1993.

Yeziarski RP, Burchiel KJ, editors. *Spinal Cord Injury Pain. Assessment, Mechanisms, Management*. IASP-Press; 2002