

8 Gastro-intestinale stoornissen

Literatuur

- Albert T, Levine M, Balderston R, Cotler J. Gastrointestinal complications in spinal cord injury. *Spine* 1991; 16: 522-5.
- Asbeck F van. *Functioneren met een paraplegie* [dissertatie]. Groningen: 1987.
- Badiali D, Coraziarri E, Habib F, Bausano G, Viscardo A, Anzini F et al. A double-blind controlled trial on the effect of cisapride in the treatment of constipation in paraplegic patients. *J Gastrointest Mot* 1991; 3: 263-7.
- Beuret-Blanquart F, Weber J, Gouverneur JP, Demangeon S, Denis P. Colonic transit time and anorectal manometric anomalies in 19 patients with complete transection of the spinal cord. *J Auton Nerv Syst* 1990; 30: 199-208.
- Binnie N, Creasey G, Edmond P, Smith A. The action of cisapride on the chronic constipation of paraplegia. *Paraplegia* 1988; 26: 151-8.
- Binnie N, Smith A, Creasey G, Edmond P. Motility effects of electrical anterior sacral nerve root stimulation of the parasympathetic supply of the left colon and anorectum in paraplegic subjects. *J Gastrointest Mot* 1990; 2: 12-7.
- Binnie NR, Smith A, Creasey G, Edmond P. Constipation associated with chronic spinal cord injury. The effect of pelvic parasympathetic stimulation by the Brindley stimulator. *Paraplegia* 1991; 29: 463-9.
- Boomkamp-Koppen R, Asbeck FWA van. *The "Iryflex"pumpsystem. An alternative in spinal cord injury and spina bifida bowel management*. Proceedings Scientific Meeting International Medical Society of Paraplegia; 2000 Nov; Sydney, Australia.
- Both P de, de Groot G, Sloopman H. Effects of cisapride on constipation in paraplegic patients. A placebo-controlled randomized double-blind cross-over study. *Eur J Gastroenterol Hepatol* 1992; 4: 1013-7.
- Bowen J, Fleming W, Thompson J. Increased gastrin release following penetrating central nervous system injury. *Surgery* 1974; 75: 720-4.
- Brindley G, Rushton D. Long-term follow-up of patients with sacral anterior root stimulator implants. *Paraplegia* 1990; 28: 469-75.
- Chaussade S, Roche H, Khyari A, Couturier D, Guerre J. Mesure du temps de transit colique. Description et validation d'une nouvelle technique. *Gastroenterol Clin Biol* 1986; 10: 385-9.
- Chen D, Nussbaum SB. Gastrointestinal disorders. In: Kirshblum S, Campagnolo DI, DeLisa JA, editors. *Spinal Cord Medicine*. Philadelphia: Lippincott Williams & Wilkins; 2002. 155-63.
- Chia Y, Lee T, Kour N, Tung K, Tan E. Microchip implants on the anterior sacral roots in patients with spinal trauma. Does it improve bowel function? *Dis Colon Rectum* 1996; 39: 690-4.
- Christensen P, Kvitzau B, Krogh K et al. Neurogenic colorectal dysfunction – use of new antegrade and retrograde colonic wash-out methods. *Spinal Cord* 2000; 38: 255-61.

Handboek dwarslaesierevalidatie

- Christensen P, Olsen N, Krogh K et al. Scintigraphic assessment of retrograde colonic washout in faecal incontinence and constipation. *Dis Colon Rectum* 2003; 46: 68-76.
- Coggrave M, Wiesel PH, Norton C, Brazelli M. Management of faecal incontinence and constipation in adults with central neurological diseases (Cochrane review). In: *The Cochrane Library*, Issue 2, 2004. Chichester, UK: John Wiley & Sons, Ltd.
- Creasey G, Grill J, Korsten M et al. An implantable neuroprosthesis for restoring bladder and bowel control to patients with spinal cord injuries. A multicenter trial. *Arch Phys Med Rehabil* 2001; 82: 1512-9.
- DeLooze D, De Muynck M, Van Laere M, De Vos M, Elewaut A. Pelvic floor function in patients with clinically complete spinal cord injury and its relation to constipation. *Dis Colon Rectum* 1998; 41: 778-86.
- DeLooze D. *Constipatie bij ruggenmerglaesies. Studie van de colontransittijd en de bekkenbodempunctie* [dissertatie]. Universiteit Gent: 1995.
- DeLooze D, Van Laere M, De Muynck M, Beke R, Elewaut A. Constipation and other gastrointestinal problems in spinal cord injury patients. *Spinal Cord* 1998; 36: 63-6.
- Fajardo N, Pasilliao R, Modeste-Duncan R, Creasey G, Bauman W, Korsten M. Decreased colonic motility in persons with chronic spinal cord injury. *Am J Gastroenterol* 2003; 98: 128-34.
- Fealey RD, Szurszewski J, Merrit J, Dimagno E. Effect of traumatic spinal cord transection on human upper gastrointestinal motility and gastric emptying. *Gastroenterology* 1984; 87: 69-75.
- Geders J, Gaing A, Bauman W, Korsten M. The effect of cisapride on segmental colonic transit time in patients with spinal cord injury. *Am J Gastroenterol* 1995; 90: 285-9.
- Glick M, Meshinpour H, Haldeman S, Hoehler F, Downey N, Bradley W. Colonic dysfunction in patients with thoracic spinal cord injury. *Gastroenterology* 1984; 86: 287-94.
- Gonella J, Bouvier M, Blanquet F. Extrinsic nervous control of motility of small and large intestines and related sphincters. *Physiol Rev* 1987; 67: 902-61.
- Gore R, Mintzer R, Calenoff L. Gastrointestinal complications of spinal cord injury. *Spine* 1981; 6: 538-44.
- Gupta S, Evans D, Jamous A, Nuseibeh I, Savage P, Cochrane P. Measurement of segmental colonic transit in patients with spinal cord lesions. *Paraplegia* 1990; 28 [abstract].
- Guttmann L. *Spinal Cord Injuries*. Oxford: Blackwell Scientific Publications; 1973.
- Koyle M, Kaji D, Duque M, Wild J, Galansky S. The Malone antegrade continence enema for neurogenic and structural faecal incontinence and constipation. *Br J Urol* 1995; 76: 220-5.
- Kraft C. Bladder and bowel management. In: Buchanan L et al. *Spinal Cord Injury*. Baltimore: Williams and Wilkins; 1987.

Handboek dwarslaesierevalidatie

- Krogh K, Jensen MB, Gandrup P et al. Efficacy and tolerability of prucalopride in patients with constipation due to spinal cord injury. *Scand J Gastroenterology* 2002; 37: 431-6.
- Lin VW, Nino-Murcia M, Forst F et al. Functional magnetic stimulation of the colon in persons with spinal cord injury. *Arch Phys Med Rehabil* 2001; 82: 167-73.
- MacDonagh R, Sun W, Smallwood R, Forster D, Read N. Control of defaecation in patients with spinal injuries by stimulation of the sacral anterior nerve roots. *BMJ* 1990; 300: 1494-7.
- MacDonagh R, Sun W, Thomas D, Smallwood R, Read N. Anorectal function in patients with complete supraconal cord lesions. *Gut* 1992; 33: 1532-8.
- Melzak J et al. Studies of the reflex activity of the external sphincter ani in spinal man. *Paraplegia* 1964; 1: 277-96.
- Menardo G, Bausano G, Coraziarri E, Fazio A, Marangi A, Genta V et al. Large-bowel transit in paraplegic patients. *Dis Colon Rectum* 1987; 30: 924-8.
- Middleton J, Lim K, Taylor L, Soden R, Rutkowski S. Patterns of morbidity and rehospitalisation following spinal cord injury. *Spinal Cord* 2004; 42: 359-67.
- Morren G, Walter S, Hallbook O et al. Effects of magnetic sacral root stimulation on anorectal pressure and volume. *Dis Colon Rectum* 2001; 44: 1827-33.
- Ng C, Prott G, Rutkowski S, Li Y, Hansen R, Kellow J et al. Gastrointestinal problems in spinal cord injury. Relationships with level of injury and psychologic factors. *Dis Colon Rectum* 2005; 48: 1562-8.
- Nino-Murcia M, Stone J, Chang P, Perkasch I. Colonic transit in spinal cord-injured patients. *Invest Radiol* 1990; 25: 109-12.
- Rosito O, Nino-Murcia M, Wolfe VA et al. The effects of colostomy on the quality of life in patients with spinal cord injury. A retrospective analysis. *J Spinal Cord Med* 2002; 25: 174-83.
- Safadi B, Rosito O, Nino-Murcia M et al. Which stoma works better for colonic dysmotility in the spinal cord injured patient ? *Am J Surgery* 2003; 186: 437-42.
- Segal J, Milne N, Brunnemann S, Lyons K. Metoclopramide-induced normalization of impaired gastric emptying in spinal cord injury. *Am J Gastroenterol* 1987; 82: 1143-8.
- Shang R, Chayes S, Korsten M, Bauman W. Gastric emptying rates to liquid or solid meals appear to be unaffected by spinal cord injury. *Am J Gastroenterol* 1994; 89: 1856-8.
- Soderström C, Ducker T. Increased susceptibility of patients with cervical cord lesions to peptic gastrointestinal complications. *J Trauma* 1985; 25: 1030-8.
- Stinneford J, Keshavarzian A, Nemchausky B, Doria M, Durkin M. Esophagitis and esophageal motor abnormalities in patients with chronic spinal cord injuries. *Paraplegia* 1993; 31: 384-92.
- Stone J, Nino-Murcia M, Wolfe V, Perkasch I. Chronic gastrointestinal problems in spinal cord injury patients. A prospective analysis. *Am J Gastroenterol* 1990; 85: 1114-9.

Handboek dwarslaesierevalidatie

- Stone J, Wolfe V, Nino-Murcia M, Perkasch I. Colostomy as treatment for complications of spinal cord injury. *Arch Phys Med Rehabil* 1990; 71: 514-8.
- Sun W, MacDonagh R, Forster D, Thomas D, Smallwood R, Read N. Anorectal function in patients with complete spinal transection before and after sacral posterior rhizotomy. *Gastroenterology* 1995; 108: 990-8.
- Sun W, Read N, Donnelly T. Anorectal function in incontinent patients with cerebrospinal disease. *Gastroenterology* 1990; 99: 1372-9.
- Teichman JM, Zabihi N, Kraus S et al. Long-term results for Malone antegrade continence enema for adults with neurogenic bowel disease. *Urology* 2003; 61: 502-6.
- Thompson W, Creed F, Drossman D, Heaton K, Mazzacca G. Functional bowel disease and functional abdominal pain. *Gastroenterology Int* 1992; 5: 75-91.
- Walters K, Silver J. Gastrointestinal bleeding in patients with acute spinal injuries. *Int Rehabil Med* 1985; 8: 44-7.
- Weber J, Beuret-Blanquart F, Ducrotte P, Touchais J, Denis P. External anal sphincter function in spinal patients. Electromyographic and manometric study. *Dis Colon Rectum* 1991; 34: 409-15.